PRODUCT DATA SHEET

Altrove 600 sospensione - Direct/indirect Emission



DESIGN BY :

Carlottade Bevilacqua 2010

MATERIALS :

Plastic, steel

DESCRIPTION:

A range extension of the Altrove series, compared to which it has more modest dimensions (60 cm per side). Mirror stainless steel perimeter structure; matt finish Prismoptic lateral diffusers; engraved transparent methacrylate front diffuser; transparent PETG upper diffuser.

Light emission



TECHNICAL DATA SHEET

FEATURES

Product name: Article Code: Colour: Material: Series:

Environment:

Area contract:

Altrove 600 sospensione -Direct/indirect Emission **1540010A + 1541010A** Chrome Plastic, steel Design Indoor

OPTICS Emission:

Direct, indirect


DIMENSIONS

Length:	cm 60
Width:	cm 60
Height:	cm 8
Max Height from ceiling:	cm 200
Cutout shape:	

LAMPS INCLUDED

Category:	FLUO
Number:	2
Lbs:	TC-LEL
Watt:	55
Socket:	2G11
Туре:	FSDH
Luminous Flux (Im):	4800
Colour Rendering:	85
Colour temperature (K):	3000
Duration (h):	12000

DIMENSIONS



LAMP

IP 20 🖶 🌆 🕅 🖻

+0-


LUMINAIR

Starter: Voltage: Electronic Integrated 220V-240V


Artemide

DIAGRAMS

Polar curve



Cartesian diagram



<u>Artemide</u>